

NASA Super Touring (ST) and Time Trial (TT) Official Dyno Certification Form (rev 3/22)

Dyno Testing Procedures:

- 1) All Dyno tests must be performed in a commercial facility or on a portable Dyno that offers chassis dynamometer testing as part of their business and is open to the public. The Dyno operator cannot be the vehicle owner, the competitor, or a crew member, and must work for the business.
- 2) All Front Wheel Drive (FWD) and Rear Wheel Drive (RWD) vehicles must be tested on a Dynojet model dvnamometer.
- 3) All Wheel Drive (AWD) vehicles may be tested on a Dynoiet, Mustang, Dyno Dynamics, or Dynapack dynamometer. Mustang and Dyno Dynamics results will have 10% added for classing calculations.
- 4) An inductive pickup or other direct sensor shall be used to measure engine RPM, not via the ECU/OBD port or from calibration from the vehicle's tachometer. (If it is physically impossible to obtain RPM data from an inductive pickup or direct sensor due to vehicle configuration, the Dyno operator must note on the Dyno sheet the method used for obtaining RPM data, and the reason for not using an inductive pickup or direct sensor, and the competitor must notify the National ST Director and/or National TT Director before competition).
- 5) At least three (3) separate, reproducible tests shall be made for each permitted power configuration, with graphs printed together on the same sheet, with horsepower and torque on the Y-axis and RPM on the Xaxis. SAE J1349 Rev JUN 90 correction shall be used, along with a smoothing factor of five (5).
- 6) The numerical table of horsepower and RPM for the run with the highest Max HP shall be printed out in 50 RPM increments (unless the competitor elects to simply use Max HP for all classing calculations).
- 7) The Dyno graph printout and numerical table must identify the date/time, car owner's name, car number, car year/make/model, shop name and phone number, and Dyno operator's name.
- 8) The vehicle must be tested at normal operating temperature (as when on track).
- 9) The tires must be inflated to at least 28 psi (but should be at normal operating track tire pressure if higher to obtain results that will correlate as closely as possible with post-competition Dyno testing.)
- 10) The hood shall be open, with a cooling fan placed in front of the engine/radiator during testing.
- 11) The vehicle must be tested in the gear producing the highest horsepower readings, which is typically the gear closest to a 1:1 ratio—commonly 5th gear for BMW M3's, Honda S2000's, Mazda RX-8's, Nissan 350/370Z's. (Note that it is the competitor's responsibility to ensure that the vehicle is compliant in all gears).
- 12) All Dyno graphs must show decreasing power for 1500 RPM from the Maximum horsepower level, or the car must reach the physical rev-limiter during the Dyno testing.
- 13) Engine, ECU, boost controller, restrictor plate, etc. adjustments shall only be made between Dyno runs in order to obtain the required additional sets of three Dyno tests for each configuration. Any restriction device placed in the air intake system must be clearly identified and marked to indicate its dimensions.
- 14) All horsepower measurements shall be rounded to the nearest whole number before calculations.



NASA Super Touring (ST) and Time Trial (TT) Official Dyno Certification Form (rev 3/22)

Car information:								
Owner/Competitor:		Car # _	Log Book #	#				
Vehicle Make:	Model:		Year:	:				
Forced Induction? Y N (ci	ircle one) Restrictor P	late? If yes, wha	t is the size:					
Method of switching power con	figurations (if applicable)	<u></u>						
Dynamometer Information (n.	ame/address/phone ink s	stamp okay here):						
Shop Name:								
Shop Address:		Shop Telephone #						
Dynamometer Manufacturer/Ty	/pe (circle one):							
FWD/ RWD: Dynojet (only	y) <u>AWD:</u> Dynojet	Mustang Dyno	Dyno Dynamics	Dynapack				
(Note: All Mustan	g and Dyno Dynamics resul	ts will be multiplied	by 1.1 for classing ca	alculations)				
Testing Range (check one):								
() Dyno graph shows o	decreasing power for 150	0 rpm from the pe	ak horsepower lev	el				
() Engine reached the	rev limiter during these D	yno runs						
, , ,	· ·	•						
Dune Beaulte /from the test	with highest May UD.	II numbara raun	dad ta naaraat wh	ala numbar\.				
Dyno Results (from the test was (If AWD on Mustang or	Dyno Dynamics model, n			ole number):				
Max HP Max T		RPM at Max HP						
If additional power configuration	ns:							
Configuration Identifier	Max HP_	Max Tq.	RPM at M	lax HP				
Configuration Identifier	Max HP	Max Tq.	RPM at M	lax HP				
		· ·						
-								
The Dyno results attached ar by both the competitor and the		us form are certi	fied as being true	and correct				
Owner/Competitor Signature	Dyno Operator N	Dyno Operator Name/ Signature						



NASA Super Touring (ST) and Time Trial (TT) Official Dyno Certification Form (rev 3/22)

Instructions to Competitors: Submit completed page 2 with your Car Classification Form and Dyno printouts. If you will be using the Avg HP calculation, either complete and submit page 3 (repeat page 3 if needed for additional power configurations), or perform the Avg HP calculations on the actual 50 RPM vs HP data output table printout, or use the online Avg HP calculator tool and print out results. Regardless of the method, you must circle or highlight each of the 250 RPM data points above and below Max HP on the entire 50 RPM v HP data output table printout and submit those pages.

Avg HP Calculatio	n:							
Max HP	_ RPM	RPM at Max HP Highest RPM on Dyno Graph						
Horsepower at 250 rp horsepower numbers multiply results x 1.1)	to the ne							
Highest seven (7) HF	data poi							
			@				@	
			@				@	
			@				@	RPM
			@	RP	M			
three (3) data points a Avg HP = Max HP _ If the vehicle maxim along with Max HP to	um RPM	+ (I is betwee	_ ++ en 6000 and) :	=			oints above
Avg HP = Max HP_	+							
(+	-	+	_+) =	/ 6 =			
If the vehicle maximalong with Max HP to		_		RPM, use	the highe	st seven (7)) data point	s above
Avg HP = Max HP_	+							
(+		_ +	_+	+	_+) =	/8 =	